



Transaction Set **860**, Version **3030**

ANSI Standard Version 3030

Segments used by Home Shopping Network for *Traditional* Purchase Orders Change.

SEGMENT ISA - INTERCHANGE CONTROL HEADER

PURPOSE

To start and identify an interchange of one or more functional groups and interchange-related control segments.

EDI STANDARD SEGMENT

ISA	*	I01	*	I02	*	I03	*	I04	*	I05	*
		I06	*	I07	*	I08	*	I09	*	I10	*
		I11	*	I12	*	I13	*	I14	*	I15	~

HSN SUBSET OF EDI STANDARD SEGMENT

Same as the EDI Standard Segment

ELEMENT NUMBER	ELEMENT NAME/DESCRIPTION	ELEMENT ATTRIBUTES	COMMENTS
ISA	SEGMENT IDENTIFIER		"ISA"
I01 001	AUTHORIZATION INFORMATION QUALIFIER Code to identify the type of information in the Authorization Information.	(M IS 2/2)	" 00 "
I02 002	AUTHORIZATION INFORMATION Information used for additional identification or authorization of the sender or the data in the interchange.	(M AN 10/10)	blank
I03 003	SECURITY COMMUNICATION QUALIFIER Code to identify the type of information in the Security Information.	(M ID 2/2)	" 00 "
I04 004	SECURITY INFORMATION This is used for identifying the security information about the sender of the data in the interchange.	(M AN 10/10)	blank
I05 005	INTERCHANGE ID QUALIFIER Qualifier to designate the system/method of code structure used to designate the sender or receiver ID element being qualified.	(M ID 2/2)	HSN interchange qualifier. " 12 "

NOTE REGARDING THE COMMENTS FIELD: Actual values are contained within quotes

106	006	INTERCHANGE SENDER ID Identification code published by the sender for other parties to use as the receiver ID to route data to them. The sender always codes this number in the sender ID element.	(M ID 15/15)	HSN interchange ID. " 8135728585 " "8135728585T" (for testing)
105	007	INTERCHANGE ID QUALIFIER Qualifier to designate the system/method of code structure used to designate the sender or receiver ID element being qualified.	(M ID 2/2)	Your interchange qualifier.
107	008	INTERCHANGE RECEIVER ID Identification code published by the sender for other parties to use as the receiver ID to route data to them.	(M ID 15/15)	Your interchange ID.
108	009	INTERCHANGE DATE Date of the interchange.	(M DT 6/6)	Interchange creation date (YYMMDD)
109	010	INTERCHANGE TIME Time of the interchange	(M TM 4/4)	Interchange creation time. HHMM
110	011	INTERCHANGE CONTROL STANDARDS IDENTIFIER Code to identify the agency responsible for the control standard used..	(M ID 1/1)	" U "
111	012	INTERCHANGE CONTROL VERSION NUMBER Version number covers the interchange control segments and functional group control segments.	((M ID 5/5)	" 00303 "
112	013	INTERCHANGE CONTROL NUMBER The number uniquely identifies the interchange data to the sender.	(M NO 9/9)	HSN sequential number
113	014	ACKNOWLEDGMENT REQUESTED Code sent to request an interchange acknowledgment.	(M ID 1/1)	" 0 "
114	015	TEST INDICATOR Code to indicate whether data enclosed by this interchange envelope is test or production.	(M ID 1/1)	" P " = production " T " = test
115	016	SUBELEMENT SEPARATOR	(M AN 1/1)	" > "


NOTE REGARDING THE COMMENTS FIELD: Actual values are contained within quotes

SEGMENT GS - FUNCTION GROUP HEADING

PURPOSE

To indicate the beginning of a functional group and to provide control information.

EDI STANDARD SEGMENT



HSN SUBSET OF EDI STANDARD SEGMENT

Same as the EDI Standard Segment.

ELEMENT NUMBER	ELEMENT NAME/DESCRIPTION	ELEMENT ATTRIBUTES	COMMENTS
GS	SEGMENT IDENTIFIER		"GS"
479 001	FUNCTIONAL IDENTIFIER CODE Code identifying a group of application related Transaction Sets.	(M ID 2/2)	"PC"
142 002	APPLICATION SENDER'S CODE Code identifying sending party.	(M AN 2/15)	HSN interchange ID "8135728585" "8135728585T" (for testing)
124 003	APPLICATION RECEIVER'S CODE Code identifying receiving party.	(M AN 2/15)	Your interchange ID.
29 004	GROUP DATE Date sender generated a group of transaction sets.	(M DT 6/6)	System date when group was created (YYMMDD).
30 005	GROUP TIME Time when the sender generated a functional group of transaction sets	(M TM 4/4)	Local time when group was generated (HHMM).
28 006	GROUP CONTROL NUMBER Assigned number originated and maintained by the sender.	(M ID 1/9)	HSN sequential number
455 007	RESPONSIBLE AGENCY CODE. Code used in conjunction with Data Element 480 to identify the issuer of the standard.	(M ID 1/2)	"X" for ASC X12.
480 008	VERSION/RELEASE/INDUSTRY ID CODE Version and release information of the EDI standard being used.	(M ID 1/12)	"003030" VICS version number

NOTE REGARDING THE COMMENTS FIELD: Actual values are contained within quotes

SEGMENT ST - TRANSACTION SET HEADER

PURPOSE

To indicate the start of a transaction set and to assign a control number.

EDI STANDARD SEGMENT

ST * 143 * 349 ~

HSN SUBSET OF EDI STANDARD SEGMENT

Same as EDI Standard Segment above.

ELEMENT NUMBER	ELEMENT NAME/DESCRIPTION	ELEMENT ATTRIBUTES	COMMENTS
ST	SEGMENT IDENTIFIER		"ST"
143 001	TRANSACTION SET IDENTIFIER CODE Code uniquely identifying a transaction set.	(M AN 3/3)	"850"
329 002	TRANSACTION SET CONTROL NUMBER Identifying control number assigned by the originator for a transaction set.	(M AN 4/9)	Unique control number identifying this transmission.

SEGMENT BEG - BEGINNING SEGMENT FOR PURCHASE ORDER

PURPOSE

To indicate the beginning of the purchase order transaction set and transmit identifying numbers and dates.

EDI STANDARD SEGMENT

BCH * 353 * 92 * 324 * 328 *
323 * 367 * 587 * 1019 ~

HSN SUBSET OF EDI STANDARD SEGMENT

BCH * 353 * 92 * 324 * 328 * 323 ~

ELEMENT NUMBER	ELEMENT NAME/DESCRIPTION	ELEMENT ATTRIBUTES	COMMENTS
BCH	SEGMENT IDENTIFIER		"BCH"
353 001	TRANSACTION SET PURPOSE CODE Code identifying purpose of transaction set.	(M ID 2/2)	" 01 " = Cancellation " 04 " = Change
92 002	PURCHASE ORDER TYPE CODE Code specifying the type of P O	(M ID 2/2)	" SA "
324 003	PURCHASE ORDER NUMBER Identifying number assigned by the orderer/purchaser.	(M AN 1/22)	HSN Purchase order number (Length ≤ 10)
328 004	RELEASE NUMBER Number identifying a release against a Purchase Order .	(O AN 1/30)	"NOT USED"
323 005	PURCHASE ORDER DATE Date assigned by the purchaser to the Purchase Order.	(M DT 6/6)	HSN Order Date (YYMMDD)

SEGMENT FOB – FOB RELATED INSTRUCTIONS

PURPOSE

To specify identifying numbers.

EDI STANDARD SEGMENT

FOB	*	146	*	309	*	352	*	334	*	335	*
		309	*	352	*	54	*	352	~		

HSN SUBSET OF EDI STANDARD SEGMENT

FOB	*	146	*	309	*	352	~
-----	---	-----	---	-----	---	-----	---

ELEMENT NUMBER	ELEMENT NAME/DESCRIPTION	ELEMENT ATTRIBUTES	COMMENTS
FOB	SEGMENT IDENTIFIER		"FOB"
146 001	SHIPMENT METHOD OF PAYMENT Code specifying payment method	(M ID 2/2)	"PP" = Pre-Paid by Buyer "CC" = Collect
309 002	LOCATION QUALIFIER Code identifying type of location referencing FOB03.	(C AN 1/2)	"NS" = City/State from Points
352 003	DESCRIPTION A free form description to clarify the related data elements and their content.	(C AN 1/80)	City and State of Point of Departure.

SEGMENT DTM – DATE/TIME REFERENCE

PURPOSE

To specify identifying numbers.

EDI STANDARD SEGMENT

DTM * 374 * 373 * 337 * 623 * 624 ~

HSN SUBSET OF EDI STANDARD SEGMENT

DTM * 374 * 373 ~

ELEMENT NUMBER	ELEMENT NAME/DESCRIPTION	ELEMENT ATTRIBUTES	COMMENTS
DTM	SEGMENT IDENTIFIER		"DTM"
374 001	DATE/TIME QUALIFIER Code specifying date and/or time.	(M ID 3/3)	"010" = Requested Ship Date
373 002	REFERENCE NUMBER Reference number or identification number as defined for a particular Transaction Set. or as specified by the Reference Number Qualifier.	(C AN 6/6)	Date YYMMDD

SEGMENT N1 - NAME

PURPOSE

To specify identifying numbers.

EDI STANDARD SEGMENT

* * * * ~

HSN SUBSET OF EDI STANDARD SEGMENT

* * * * ~

ELEMENT NUMBER	ELEMENT NAME/DESCRIPTION	ELEMENT ATTRIBUTES	COMMENTS
N1	SEGMENT IDENTIFIER		"N1"
98 001	ENTITY IDENTIFIER CODE	(M ID 2/2)	"VN" = Vendor
93 002	NAME Free form name.	(M ID 1/35)	Name of Vendor
66 003	IDENTIFICATION CODE QUALIFIER Reference number or identification number as defined for a particular Transaction Set. or as specified by the Reference Number Qualifier.	(M AN 1/2)	"92" = Assigned by Buyer
67 004	IDENTIFICATION CODE A free form description to clarify the related data elements and their content.	(M AN 2/17)	HSN Internal Vendor Number

SEGMENT ITD – TERMS OF SALE

PURPOSE

Terms of Sale/Deferred Terms of Sale.

EDI STANDARD SEGMENT

ITD	*	336	*	333	*	338	*	370	*	351	*	446	*
		386	*	362	*	388	*	389	*	342	*	352	*
		765	*	107	*	954	~						

HSN SUBSET OF EDI STANDARD SEGMENT

ITD	*	336	*	333	*	338	*	370	*	*	446	*	386	*
		362	~											

ELEMENT NUMBER	ELEMENT NAME/DESCRIPTION	ELEMENT ATTRIBUTES	COMMENTS
ITD	SEGMENT IDENTIFIER		" ITD "
336 001	TERMS TYPE CODE Code identifying type of payment terms.	(M ID 2/2)	" 14 "
333 002	TERMS BASIS DATE CODE Code identifying the beginning of the terms period (1=shipdate, 2=delivery date, 3=invoice date)	(M ID 1/2)	" 2 "
338 003	TERMS DISCOUNT PERCENT	(O R 1/6)	"NOT USED"
370 004	TERMS DISCOUNT DUE DATE	(C DT 6/6)	"NOT USED"
351 005	TERMS DISCOUNT DAYS DUE	(C N0 1/3)	"NOT USED"
446 006	TERMS NET DUE DATE	(M DT 6/6)	"NOT USED"
386 007	TERMS NET DAYS	(M N0 1/3)	"NOT USED"
362 008	TERMS DISCOUNT AMOUNT	(O N2 1/10)	"NOT USED"
388 009	TERMS DEFERRED DUE DATE	(O DT 6/6)	"NOT USED"
389 010	DEFERRED AMOUNT DUE	(C N2 1/10)	"NOT USED"
342 011	PERCENT OF INVOICE PAYABLE	(C R 1/5)	"NOT USED"
352 012	DESCRIPTION Free form description of terms	(O AN 1/80)	Terms of Sale

NOTE REGARDING THE COMMENTS FIELD: Actual values are contained within quotes

765	013	DAY OF MONTH	(C NO 1/2)	"NOT USED"
107	014	PAYMENT METHOD CODE	(O ID 1/1)	"NOT USED"
954	015	PERCENT	(O R 1/10)	"NOT USED"

SEGMENT P01 - PO BASELINE ITEM DETAIL

PURPOSE

To specify basic and most frequently used line item data.

EDI STANDARD SEGMENT

P01	*	350	*	330	*	355	*	212	*	639	*
		235	*	234	*	235	*	234	*	235	*
		234	*	235	*	234	*	235	*	234	*
		235	*	234	*	235	*	234	*	235	*
		234	*	235	*	234	*	235	*	234	~

HSN SUBSET OF EDI STANDARD SEGMENT

P01	*	350	*	330	*	355	*	235	*
		234	*	235	*	234	*	~	

ELEMENT NUMBER	ELEMENT NAME/DESCRIPTION	ELEMENT ATTRIBUTES	COMMENTS
P0C	SEGMENT IDENTIFIER		"P0C"
350 001	ASSIGNED IDENTIFICATION Alphanumeric characters assigned for differentiation within a transaction set.	(O AN 1/11)	HSN Line number (Length ≤ 2)
330 002	CHANGE OR RESPONSE TYPE CODE	(M ID 2/2)	"RZ"
355 003	QUANTITY ORDERED	(O R 1/9)	QUANTITY
212 004	QUANTITY LEFT TO RECEIVE	(C R 1/9)	'0'
639 005	UNIT OR BASIS FOR MEASUREMENT CODE Code identifying the type of unit price for an item.	(C ID 2/2)	' '
639 006	UNIT PRICE Code identifying the type of unit price for an item.	(C R 1/14)	**NOT USED**
234 007	BASIS OF UNIT PRICE CODE Code identifying the type of unit price for an item	(O ID 2/2)	"LE"
235 008	PRODUCT/SERVICE ID QUALIFIER Code identifying type of descriptive number in Product ID.	(M ID 2/2)	HSN "IT" (Buyer's style number qualifier)

NOTE REGARDING THE COMMENTS FIELD: Actual values are contained within quotes

234	009	PRODUCT/SERVICE ID Identifying number for a product..	(M AN 1/30)	HSN HSN's Item number (Length = 15 maximum)
235	010	PRODUCT/SERVICE ID QUALIFIER Code identifying type of descriptive number in Product ID.	(M ID 2/2)	HSN "UP" Universal Product Code UPC
234	011	PRODUCT/SERVICE ID Identifying number for a product..	(M AN 1/30)	HSN UPC if available

SEGMENT PID - PRODUCT/ITEM DESCRIPTION

PURPOSE

To describe a product or process in coded or free form format.

EDI STANDARD SEGMENT

PID	*	349	*	750	*	559	*
		751	*	352	*	752	~

HSN SUBSET OF EDI STANDARD SEGMENT

PID	*	349	*	*	*	*	352	~
-----	---	-----	---	---	---	---	-----	---

ELEMENT NUMBER	ELEMENT NAME/DESCRIPTION	ELEMENT ATTRIBUTES	COMMENTS
PID	SEGMENT IDENTIFIER		"PID"
349 001	ITEM DESCRIPTION TYPE Code indicating the format of a description.	(M ID 1/1)	HSN " F "
352 005	DESCRIPTION A free form description to clarify the related data elements and their content.	(C AN 1/80)	HSN Item description (Max length = 40)

SEGMENT SDQ - SPECIAL SERVICES

PURPOSE

To specify special conditions or services associated with the purchased product.

EDI STANDARD SEGMENT

SDQ	*	355	*	66	*	67	*	380	*
		67	*	380	~				

HSN SUBSET OF EDI STANDARD SEGMENT

SDQ	*	355	*	66	*	67	*	380	*
		67	*	380	~				

ELEMENT NUMBER	ELEMENT NAME/DESCRIPTION	ELEMENT ATTRIBUTES	COMMENTS
SDQ	SEGMENT IDENTIFIER		"SDQ"
355 001	UNIT OF MEASUREMENT CODE Code specifying the units in which a value is being expressed	(M ID 2/2)	"EA"
66 002	IDENTIFICATION CODE QUALIFIER Code identifying the warehouse receiving the goods.	(M ID 1/2)	"92" = Assigned by buyer
67 003	IDENTIFICATION CODE Code identifying the warehouse receiving the goods	(M ID 2/17)	Salem = "97" Waterloo = "98" Showroom = "01"
380 004	QUANTITY Quantity	(M AN 1/15)	Quantity
67 005	IDENTIFICATION CODE Code identifying the warehouse receiving the goods.	(O R 1/9)	Salem = "97" Waterloo = "98" If being shipped to more than one warehouse
380 006	QUANTITY Quantity	(O N2 1/9)	Quantity If being shipped to more than one warehouse

SEGMENT AMT – MONETARY AMOUNT

PURPOSE

To specify identifying numbers.

EDI STANDARD SEGMENT

* * ~

HSN SUBSET OF EDI STANDARD SEGMENT

* * ~

ELEMENT NUMBER	ELEMENT NAME/DESCRIPTION	ELEMENT ATTRIBUTES	COMMENTS
AMT	SEGMENT IDENTIFIER		"AMT"
522 001	AMOUNT CODE QUALIFIER Address Information .	(M ID 1/2)	" 1 " = Line item Total
782 002	MONETARY AMOUNT Address Information.	(O AN 1/15)	Line Item Total

SEGMENT CTT - TRANSACTION TOTALS

PURPOSE

To transmit a hash total for a specific element in the transaction set.

EDI STANDARD SEGMENT

CTT * 354 * 347 * 81 *
355 * 183 * 355 * 352 ~

HSN SUBSET OF EDI STANDARD SEGMENT

CTT * 354 * 347 ~

ELEMENT NUMBER	ELEMENT NAME/DESCRIPTION	ELEMENT ATTRIBUTES	COMMENTS
CTT	SEGMENT IDENTIFIER		"CTT"
354 001	NUMBER OF LINE ITEMS Total number of line items in the transaction set.	(M NO 1/6)	Total number of line items in the transaction.
347 002	HASH TOTAL Sum of totals of the specified data element.	(O R 1/10)	Total number of line items in the transaction.
81 003	WEIGHT Numeric value of weight.	(O R 1/10)	**NOT USED**
355 004	UNIT OF MEASUREMENT CODE Code specifying the units in which a value is being expressed.	(C ID 2/2)	**NOT USED**
183 005	VOLUME Value of volumetric measure.	(O R 1/8)	**NOT USED**
355 006	UNIT OF MEASUREMENT CODE Code specifying the units in which a value is being expressed.	(C ID 2/2)	**NOT USED**
352 007	DESCRIPTION Free form description to clarify the related data elements and their content.	(O AN 1/80)	**NOT USED**

SEGMENT SE - TRANSACTION SET TRAILER

PURPOSE

To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and the ending (SE) segments).

EDI STANDARD SEGMENT

SE

 *

96

 *

329

 ~

HSN SUBSET OF EDI STANDARD SEGMENT

Same as the EDI Standard Segment.

		ELEMENT NAME/DESCRIPTION	ELEMENT ATTRIBUTES	COMMENTS
SE		SEGMENT IDENTIFIER		"SE"
96	001	NUMBER OF INCLUDED SEGMENTS Total number of segments included in a transaction set including ST and SE segments.	(M NO 1/6)	
329	002	TRANSACTION SET CONTROL NUMBER Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set.	(M AN 4/9)	HSN Our sequential number

SEGMENT GE - FUNCTIONAL GROUP TRAILER

PURPOSE

To indicate the end of a functional group and to provide control.

EDI STANDARD SEGMENT

GE

 *

97

 *

28

 ~

HSN SUBSET OF EDI STANDARD SEGMENT

Same as EDI Standard Segment

		ELEMENT NAME/DESCRIPTION	ELEMENT ATTRIBUTES	COMMENTS
GE		SEGMENT IDENTIFIER		" GE "
97	001	NUMBER OF TRANSACTION SETS INCLUDED. Count of ST segments within the Group.	(M NO 1/6)	Total number of transaction sets included in the GS – GE group.
28	002	GROUP CONTROL NUMBER Assigned number originated and maintained by the sender.	(M NO 1/9)	Same number as in GS segment (data element 06)

SEGMENT IEA - INTERCHANGE CONTROL TRAILER

PURPOSE

To define the end of an interchange of one or more functional groups and interchange-related control segments.

EDI STANDARD SEGMENT

IEA * I16 * I12 ~

HSN SUBSET OF EDI STANDARD SEGMENT

Same as EDI Standard Segment.

		ELEMENT NAME/DESCRIPTION	ELEMENT ATTRIBUTES	COMMENTS
IEA		SEGMENT IDENTIFIER		" IEA "
116	001	NUMBER OF INCLUDED FUNCTIONAL GROUPS A count of the number of included groups included in a transmission.	(M N0 1/5)	Count of the GS segments in the Transmission.
112	002	INTERCHANGE CONTROL NUMBER Number that uniquely identifies the interchange data. It is assigned by the sender.	(M N0 9/9)	Same number as in the ISA segment (data element 13)

TRANSACTION LAYOUT

ISA
GS
ST
BCH
FOB
DTM
N1
----- POC
| PID
| SDQ
----- AMT
CTT
SE
GE
IEA

