

Belk

Belk Technical Information for 852

1. All EDI Transmissions are through the IBM network
2. VICS 852, Version 4010
3. VICS 997, Acknowledgment
4. EDI Communications ID
5. IBM Network Account Number
6. IBM Information Network User ID

08 6123830100
BELK
BELK027

EDI Contacts:

Lisa Bennett, QR Specialist-EDI
 Lois Smith, QR Specialist-EDI
 Belk Stores Services FAX - EDI

lisa_bennett@belk.com
lois_smith@belk.com

704-357-1064
 x6529
 704-357-1064
 x6569
 704-357-1876

Belk Stores Services Address

Belk Stores Services
2801 West Tyvola Road
Charlotte, NC 28217-4500
Attn: EDI Department
Maildrop M106

Belk Guidelines for 4010VICS 852 Product Activity Data Revised

01/19/99

852 Product Activity Data

Functional Group ID=PD

Introduction:

This Draft Standard for Trial Use contains the format and establishes the data contents of the Product Activity Data Transaction Set (852) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used by a distributor, warehouse, or retailer to advise a trading partner of inventory, sales, and other product activity information. Product activity data enables a trading partner to plan and ship, or propose inventory replenishment quantities, for distribution centers, warehouses or retail outlets. The receiver of the transaction set will maintain some type of inventory/product movement records for its trading partners to enable replenishment calculations based on data provided by the distributor, warehouse or retailer.

Heading:

	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>	<u>Notes and Comments</u>
Must Use	010	<u>ST</u>	Transaction Set Header	M	1		
Must Use	020	<u>XQ</u>	Reporting Date/Action	M	1		
	040	<u>N9</u>	Reference Identification	O	>1		
			LOOP ID - N1			200	
	060	<u>N1</u>	Name	O	1		n1

Detail:

	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>	<u>Notes and Comments</u>
			LOOP ID - LIN			999999	
Must Use	010	<u>LIN</u>	Item Identification	O	1		
			LOOP ID - ZA			>1	
Must Use	080	<u>ZA</u>	Product Activity Reporting	M	1		n2
	100	<u>CTP</u>	Pricing Information	O	25		
Must Use	110	<u>SDQ</u>	Destination Quantity	O	>1		

Summary:

<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>	<u>Notes and Comments</u>
010	<u>CTT</u>	Transaction Totals	O	1		n3
Must Use 020	<u>SE</u>	Transaction Set Trailer	M	1		

Transaction Set Notes

1. The reporting location is required. The reporting location is specified explicitly in the N1 segment using the code RL in N101, or implicitly using the SDQ segment (Table 2) with the location data elements. They are mutually exclusive (the SDQ and the N1 with N101 containing RL).
2. The quantity for the item identified in the LIN segment is required. Quantity is specified either in the ZA segment (ZA02) or in the SDQ segment.
3. The number of line items (CTT01) is the accumulation of the number of LIN segments. Hash total (CTT02) is not used in this transaction set.
When sending item and activity data in the LIN loop, the CTT segment is required.

Segment: *ST* Transaction Set Header

Position: 010

Loop:

Level: Heading

Usage: Mandatory

Max Use: 1

Purpose: To indicate the start of a transaction set and to assign a control number

Syntax Notes:

Semantic Notes: 1 The transaction set identifier (ST01) is used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).

Comments:

Data Element Summary

<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use ST01	143	Transaction Set Identifier Code Code uniquely identifying a Transaction Set 852Product Activity Data	M ID 3/3
Must Use ST02	329	Transaction Set Control Number Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set The number is sequentially assigned by the sender, starting with one within each	M AN 4/9

functional group. For each functional group, the first transaction set control number will be 0001 and incremented by one for each additional transaction set within the group.

Segment: *XQ* Reporting Date/Action

Position: 020

Loop:

Level: Heading

Usage: Mandatory

Max Use: 1

Purpose: To specify reporting date and action to be taken

Syntax Notes:

Semantic Notes: 1 XQ02 is the reporting date. If reporting a date range, then XQ02 is the start date and XQ03 is the end date.

Comments:

Data Element Summary

<u>Ref.</u>	<u>Data</u>	<u>Des.</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	XQ01	305		Transaction Handling Code	M ID 1/2
				Code designating the action to be taken by all parties Use of code F or G requires the supplier to advise the distributor/warehouse of replenishment quantity usually via Transaction Set 855 or Transaction Set 856. HNotification Only	
Must Use	XQ02	373		Date	M DT 8/8
				Date expressed as CCYYMMDD The date (XQ02) will contain the Sunday date that is the beginning date of the reporting period for weekly transmissions. The date (XQ02) will contain the only date of the reporting period for daily transmissions.	
	XQ03	373		Date	O DT 8/8
				Date expressed as CCYYMMDD The date (XQ03) will contain the Saturday date that is the ending date of the reporting period for weekly transmissions. The date (XQ03) is not used for daily transmissions.	

Segment: *N9* Reference Identification

Position: 040

Loop:

Level: Heading

Usage: Optional

Max Use: >1

Purpose: To transmit identifying information as specified by the Reference Identification Qualifier

Syntax Notes: 1 At least one of N902 or N903 is required.

2 If N906 is present, then N905 is required.

- 3 If either C04003 or C04004 is present, then the other is required.
- 4 If either C04005 or C04006 is present, then the other is required.

Semantic Notes: 1 N906 reflects the time zone which the time reflects.
2 N907 contains data relating to the value cited in N902.

Comments:

Data Element Summary

	Ref.	Data	Attributes
	Des.	Element Name	
Must Use	N901	128 Reference Identification Qualifier Code qualifying the Reference Identification DPDepartment Number	M ID 2/3
Must Use	N902	127 Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier The reference identification (N902) will contain the four digit department number when the reference identification qualifier (N901) is "DP".	X AN 1/30

Segment: *NI Name*

Position: 060

Loop: N1 Optional

Level: Heading

Usage: Optional

Max Use: 1

Purpose: To identify a party by type of organization, name, and code

Syntax Notes: 1 At least one of N102 or N103 is required.
2 If either N103 or N104 is present, then the other is required.

Semantic Notes:

Comments: 1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
2 N105 and N106 further define the type of entity in N101.

Notes: This segment is used to identify the retailer's location as it pertains to product activity data and must contain the identity of each organizational entity or a physical location. This is accomplished in one of two ways: BASIC There will be at least one occurrence of this segment that specifies the retailers buying/reporting location. If XQ01 contains code G, it is assumed that, for a particular buying location, the vendor has the bill to and ship to in the system. SPREADSHEET The SDQ segment specifies the retailer's buying/reporting locations. Therefore, codes BY and RL are not used in the N1 segment for the spreadsheet product activity.

In some EDI implementations, it may be necessary to identify the sender and/or receiver of the transaction set within each transaction set. To identify the sender of the transaction set, N101 will contain code FR, N103 will contain code 93, and N104 will contain the actual identification number. To identify the receiver of the transaction set, N101 will contain code TO, N103 will contain code 94, and N104 will contain the actual identification number. These four codes may be used only in the combination listed above and may be used only to identify the sender and/or receiver of the transaction set.

Data Element Summary

Ref.	Data	Attributes
Des.	Element Name	
Must Use N101	98 Entity Identifier Code Code identifying an organizational entity, a physical location, property or an individual RLReporting Location	M ID 2/3
N102	93 Name Free-form name The name (N102) will contain "Belk" when the entity identifier code (N101) is "RL".	X AN 1/60

Segment: *LIN* Item Identification

Position: 010

Loop: LIN Optional (Must Use)

Level: Detail

Usage: Optional (Must Use)

Max Use: 1

Purpose: To specify basic item identification data

- Syntax Notes:**
- 1 If either LIN04 or LIN05 is present, then the other is required.
 - 2 If either LIN06 or LIN07 is present, then the other is required.
 - 3 If either LIN08 or LIN09 is present, then the other is required.
 - 4 If either LIN10 or LIN11 is present, then the other is required.
 - 5 If either LIN12 or LIN13 is present, then the other is required.
 - 6 If either LIN14 or LIN15 is present, then the other is required.
 - 7 If either LIN16 or LIN17 is present, then the other is required.
 - 8 If either LIN18 or LIN19 is present, then the other is required.
 - 9 If either LIN20 or LIN21 is present, then the other is required.
 - 10 If either LIN22 or LIN23 is present, then the other is required.
 - 11 If either LIN24 or LIN25 is present, then the other is required.
 - 12 If either LIN26 or LIN27 is present, then the other is required.
 - 13 If either LIN28 or LIN29 is present, then the other is required.
 - 14 If either LIN30 or LIN31 is present, then the other is required.

Semantic Notes: 1 LIN01 is the line item identification

Comments: 1 See the Data Dictionary for a complete list of IDs.

- 2 LIN02 through LIN31 provide for fifteen different product/service IDs for each item. For example: Case, Color, Drawing No., U.P.C. No., ISBN No., Model No., or SKU.

Notes: The codes listed for LIN02 apply to every occurrence of Data Element 235 in the LIN segment.

See Section III for complete U.P.C. and EAN code definitions.

Data Element Summary

Ref.	Data	Des.	Element	Name	Attributes
		LIN01	350	Assigned Identification	O AN 1/20
				Alphanumeric characters assigned for differentiation within a transaction set	
Must Use		LIN02	235	Product/Service ID Qualifier	M ID 2/2
				Code identifying the type/source of the descriptive number used in Product/Service ID (234) UPU.P.C. Consumer Package Code (1-5-5-1)	
Must Use		LIN03	234	Product/Service ID	M AN 1/48
				Identifying number for a product or service	

Segment: ZA Product Activity Reporting

Position: 080

Loop: ZA Mandatory

Level: Detail

Usage: Mandatory

Max Use: 1

Purpose: To provide activity details concerning product being reported

Syntax Notes: 1 If either ZA02 or ZA03 is present, then the other is required.

2 If either ZA04 or ZA05 is present, then the other is required.

3 If either ZA06 or ZA07 is present, then the other is required.

Semantic Notes: 1 ZA08 determines if the product activity code in ZA01 refers to a product that is categorized as In-bond merchandise. A "Y" indicates that the activity code applies to a product that is In-bond; an "N" indicates that the activity code does not refer to a product that is In-bond.

Comments:

Notes: If ZA02 and ZA03 are used to specify the quantity of the item identified in the LIN segment, the SDQ segment is not used.

All quantity values (ZA03 or quantity values in the SDQ segment) are expressed as a positive number for all activities except for adjustments (code QA and QT in ZA01). An adjustment is any activity, other than a retail sale or warehouse withdrawal, that changes the inventory position for the item. Inter-store transfers are reported as a positive adjustment for the transfer-to store and a negative adjustment for the transfer-from store. An adjustment to inventory can also be made as a result of a physical inventory, for example, shrinkage is reported as a negative adjustment, understated inventory is reported as a positive adjustment.

To express activity in dollars, use the unit of measure DO (Dollars, U.S.) in ZA03 or SDQ01. Multiple ZA segments may be used with the same activity code to specify units and dollars, and, to report activity at different prices. Sales types, promotion/event sales, clearance/markdown sales and non-promotion/non-clearance sales are used in conjunction with a CTP segment to specify the price and/or sales type. For example, if three stores sold an item for one price and five other stores sold the same item for a different price, two ZA loops may be used to report the sale quantity at the appropriate price. The first ZA loop would contain the price in the CTP segment and one SDQ segment with the three stores/quantities. The second loop would specify the other price and one SDQ segment for the remaining five stores/quantities.

Data Element Summary

Ref.	Data	Attributes
Des.	Element Name	
Must Use	ZA01 859	M ID 2/2
	Activity Code	
	Code identifying activity details for the product being reported	
	QA Current Inventory Quantity Available for Shipment or Sale	
	On-hand inventory at store/distribution center/warehouse available for shipment or sale	
	QS Quantity Sold	
	Sales at retail (gross quantity, no returns netted out)	
	QT Adjustment to Inventory Quantity	
	Adjustment to inventory quantity as a result of a physical inventory discrepancy or internal movement of goods from one location to another	
	QU Quantity Returned By Consumer	

Segment: CTP Pricing Information**Position:** 100**Loop:** ZA Mandatory**Level:** Detail**Usage:** Optional**Max Use:** 25**Purpose:** To specify pricing information**Syntax Notes:** 1 If either CTP04 or CTP05 is present, then the other is required.

2 If CTP06 is present, then CTP07 is required.

3 If CTP09 is present, then CTP02 is required.

4 If CTP10 is present, then CTP02 is required.

5 If CTP11 is present, then CTP03 is required.

Semantic Notes: 1 CTP07 is a multiplier factor to arrive at a final discounted price. A multiplier of .90 would be the factor if a 10% discount is given.

2 CTP08 is the rebate amount.

Comments: 1 See Figures Appendix for an example detailing the use of CTP03 and CTP04. See Figures Appendix for an example detailing the use of CTP03, CTP04 and CTP07.**Notes:** The prices specified in this segment, in the ZA loop, apply only to quantities within that ZA loop, e.g., quantities in the ZA or SDQ segments. This price will override the same price type listed in the LIN loop, if used.

This segment is used to report prices associated with the item and activity. It is not used to report total dollar values. This segment can also be used to further define quantity sold/quantity on order within the associated ZA loop by sales type (i.e., promotion/event sales, clearance/markdown sales, non-promotion/non-markdown sales).

Data Element Summary

Ref.	Data	Attributes
Des.	Element Name	
Must Use	CTP02 236 Price Identifier Code	X ID 3/3
	Code identifying pricing specification	
	RES Resale	
	Retail price	
	CTP03 212 Unit Price	X R 1/17
	Price per unit of product, service, commodity, etc.	
	The price is sent with a decimal point only when needed, e.g., \$15.95 would be sent as "15.95", and \$29.00 would be sent as "29".	

Segment: SDQ Destination Quantity**Position:** 110**Loop:** ZA Mandatory**Level:** Detail**Usage:** Optional (Must Use)**Max Use:** >1**Purpose:** To specify destination and quantity detail

- Syntax Notes:**
- 1 If either SDQ05 or SDQ06 is present, then the other is required.
 - 2 If either SDQ07 or SDQ08 is present, then the other is required.
 - 3 If either SDQ09 or SDQ10 is present, then the other is required.
 - 4 If either SDQ11 or SDQ12 is present, then the other is required.
 - 5 If either SDQ13 or SDQ14 is present, then the other is required.
 - 6 If either SDQ15 or SDQ16 is present, then the other is required.
 - 7 If either SDQ17 or SDQ18 is present, then the other is required.
 - 8 If either SDQ19 or SDQ20 is present, then the other is required.
 - 9 If either SDQ21 or SDQ22 is present, then the other is required.

Semantic Notes: 1 SDQ23 identifies the area within the location identified in SDQ03, SDQ05, SDQ07, SDQ09, SDQ11, SDQ13, SDQ15, SDQ17, SDQ19, and SDQ21.

- Comments:**
- 1 SDQ02 is used only if different than previously defined in the transaction set.
 - 2 SDQ03 is the store number.
 - 3 SDQ23 may be used to identify areas within a store, e.g., front room, back room, selling outpost, end aisle display, etc. The value is agreed to by trading partners or industry conventions.

Notes: This segment is used to distribute item quantity to various locations.

If this segment is used to specify the quantity of the item identified in the LIN segment, ZA02 and ZA03 are not used.

Data Element Summary

Ref.	Data	Attributes
Des.	Element Name	
Must Use	SDQ01 355 Unit or Basis for Measurement Code	M ID 2/2
	Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken	
	See Section III for code list.	
	Refer to 004010VICS Data Element Dictionary for acceptable code	

			values.		
Must Use	SDQ02	66	Identification Code Qualifier	O	ID 1/2
			Code designating the system/method of code structure used for Identification Code (67)		
			92Assigned by Buyer or Buyer's Agent		
Must Use	SDQ03	67	Identification Code	M	AN 2/80
			Code identifying a party or other code		
			The identification code (SDQ03, SDQ05, SDQ07, SDQ09, SDQ11, SDQ13, SDQ15, SDQ17, SDQ19, SDQ21) will contain the four digit store number.		
Must Use	SDQ04	380	Quantity	M	R 1/15
			Numeric value of quantity		
	SDQ05	67	Identification Code	X	AN 2/80
			Code identifying a party or other code		
	SDQ06	380	Quantity	X	R 1/15
			Numeric value of quantity		
	SDQ07	67	Identification Code	X	AN 2/80
			Code identifying a party or other code		
	SDQ08	380	Quantity	X	R 1/15
			Numeric value of quantity		
	SDQ09	67	Identification Code	X	AN 2/80
			Code identifying a party or other code		
	SDQ10	380	Quantity	X	R 1/15
			Numeric value of quantity		
	SDQ11	67	Identification Code	X	AN 2/80
			Code identifying a party or other code		
	SDQ12	380	Quantity	X	R 1/15
			Numeric value of quantity		
	SDQ13	67	Identification Code	X	AN 2/80
			Code identifying a party or other code		
	SDQ14	380	Quantity	X	R 1/15
			Numeric value of quantity		
	SDQ15	67	Identification Code	X	AN 2/80
			Code identifying a party or other code		
	SDQ16	380	Quantity	X	R 1/15
			Numeric value of quantity		
	SDQ17	67	Identification Code	X	AN 2/80
			Code identifying a party or other code		
	SDQ18	380	Quantity	X	R 1/15
			Numeric value of quantity		
	SDQ19	67	Identification Code	X	AN 2/80
			Code identifying a party or other code		
	SDQ20	380	Quantity	X	R 1/15
			Numeric value of quantity		
	SDQ21	67	Identification Code	X	AN 2/80
			Code identifying a party or other code		
	SDQ22	380	Quantity	X	R 1/15
			Numeric value of quantity		
	SDQ23	310	Location Identifier	O	AN 1/30
			Code which identifies a specific location		

Segment: CTT Transaction Totals**Position:** 010**Loop:****Level:** Summary**Usage:** Optional**Max Use:** 1**Purpose:** To transmit a hash total for a specific element in the transaction set**Syntax Notes:** 1 If either CTT03 or CTT04 is present, then the other is required.

2 If either CTT05 or CTT06 is present, then the other is required.

Semantic Notes:**Comments:** 1 This segment is intended to provide hash totals to validate transaction completeness and correctness.**Data Element Summary**

	Ref.	Data		Attributes
	Des.	Element	Name	
Must Use	CTT01	354	Number of Line Items	M N0 1/6
			Total number of line items in the transaction set	
			The number of LIN segments present in the transaction set	

Segment: SE Transaction Set Trailer**Position:** 020**Loop:****Level:** Summary**Usage:** Mandatory**Max Use:** 1**Purpose:** To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)**Syntax Notes:****Semantic Notes:****Comments:** 1 SE is the last segment of each transaction set.**Data Element Summary**

	Ref.	Data		Attributes
	Des.	Element	Name	
Must Use	SE01	96	Number of Included Segments	M N0 1/10
			Total number of segments included in a transaction set including ST and SE segments	
Must Use	SE02	329	Transaction Set Control Number	M AN 4/9
			Identifying control number that must be unique within the transaction	

set functional group assigned by the originator for a transaction set
This must be the same number as is in the ST segment (ST02) for the transaction set.

Example:

ISA*00* 00* 08*6123830100 *ql*receiver id *981102*150
0*U*00401*000000001*0*P*>~
GS*PD*6123830100*receiver id*19981102*1500*1*X*004010VICS~
ST*852*0001~
XQ*H*19981025*19981031~
N9*DP*0320~
N1*RL*BELK~
LIN*1*UP*123456789123~
ZA*QS~
CTP*RES*11.25~
SDQ*EA*92*0017*1~
ZA*QU~
CTP*RES*11.25~
SDQ*EA*92*0017*1~
CTT*1~
SE*13*0001~
GE*1*1~
IEA*1*000000001~